

## MAYSI-2 REFERENCE LIST

**Last Update – May 2011**

This list of references includes all publications of which we are aware that refer to the MAYSI-2. They are classified in four categories:

- A. MAYSI-2 manuals and basic descriptions
- B. Peer-reviewed research on the MAYSI-2 or using the MAYSI-2 to test hypotheses
- C. Non-peer-reviewed publications: State government project reports, public media documents, etc.
- D. General mental health screening publications that include the MAYSI-2

### **A. MAYSI-2 Manuals and Basic Descriptions**

- Grisso, T., & Barnum, R. (2001, January). *The Massachusetts Youth Screening Instrument: Second version (MAYSI-2)*. Worcester, MA: University of Massachusetts Medical School.
- Grisso, T., & Barnum, R. (2003). *Massachusetts Youth Screening Instrument-version 2: User's Manual and Technical Report*. Sarasota, FL: Professional Resource Press.
- Grisso, T., & Barnum, R. (2004). *MAYSI-2 fact sheet: The Massachusetts Youth Screening Instrument-Version 2*. Worcester, MA: University of Massachusetts Medical School.
- Grisso, T. & Barnum, R. (2006). *Massachusetts Youth Screening Instrument-Version 2: User's Manual and Technical Report*. Sarasota, FL: Professional Resource Press.
- Grisso, T., & Quinlan, J. C. (2005). Massachusetts Youth Screening Instrument—Version 2. In T. Grisso, G. Vincent, and D. Seagrave (Eds.), *Mental Health Screening and Assessment in Juvenile Justice* (pp. 99-111). Guilford Press.
- Grisso, T., Vincent, G.M., & Seagrave, D. (2005). *Mental health screening and assessment in juvenile justice*. New York, NY: Guilford Press.
- Lexcen, F. J., Quinlan, J. C., & Grisso, T. (2004a). The Massachusetts Youth Screening Instrument-Version 2: Background, development and practices [part 1]. *Rapport*, 8(1), 20-22.
- Maney, S. M. (2006). *MAYSIWARE User's Guide: The Electronic Version of the MAYSI-2*. Professional Resource Press: Sarasota, FL.

## B. Research on the MAYSI-2 or Using the MAYSI-2 to Test Hypotheses (Peer-Reviewed or Dissertation Abstracts)

**Note: Key words shown in bold identify studies focusing specifically on race and/or gender questions.**

- Archer, R.P., Sionds-Bisbee, E.C., Spiegel, D.R., Handel, R.W., & Elkins, D.E. (2010). Validity of the Massachusetts Youth Screening Instrument-2 (MAYSI-2) in juvenile justice settings. *Journal of Personality Assessment*, 92(4), 337-348.
- Archer, R. P., Stredny, R. V., Mason, J. A., & Arnau, R. C. (2004). An examination and replication of the psychometric properties of the Massachusetts Youth Screening Instrument - Second Edition (MAYSI-2) among adolescent in detention. *Assessment*, 11(4), 1-13.
- Bailey, S.M. (2008). Predicting mental illness with the MAYSI-2. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 68(9-B), 6287.
- Bender, K., Howard, M.O., Perron, B., & Jenson, J.M. (2010). Strong-arm bullying prior to incarceration among a sample of young offenders. *Journal of the Society for Social Work and Research*, 1(1), 1-13.
- Bisbee, E.C.S. (2010). Massachusetts Youth Screening Instrument long-term outcomes and scale stability. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 71(1-B), 650.
- Brawn, K.M., & Roe-Sepowitz, D. (2008). **Female** juvenile prostitutes: Exploring the relationship to substance use. *Children & Youth Services Review*, 30 (12), 1395-1402.
- Butler, M., Loney, B., & Kistner, J. (2007). The Massachusetts Youth Screening Instrument as a predictor of institutional maladjustment in severe male juvenile offenders. *Criminal Justice and Behavior*, 34, 476-492.
- Chapman, J., & Ford, J. (2008). Relationships between suicide risk, traumatic experiences, and substance use among juvenile detainees. *Archives of Suicide Research*, 12(1), 50-61.
- Caldwell, R.M., Sturges, S.M., & Silver, N.C. (2006). Home versus school environments and their influences on the affective and behavioral states of **African-American, Hispanic, and caucasian** juvenile offenders. *Journal of Child and Family Studies*, 16, 125-138.
- Cauffman, E. (2004). A statewide screening of mental health symptoms among juvenile offenders in detention. *Journal of the American Academy of Child and Adolescent Psychiatry*, 43(4), 430-439.
- Cauffman, E., Lexcen, F. J., Goldweber, A., Shulman, E. P., & Grisso, T. (2007). **Gender** differences in mental health symptoms among delinquent and community youth. *Youth Violence and Juvenile Justice*, 5(3), 287-307.

- Cauffman, E., & MacIntosh, R. (2006). A Rasch differential item functioning analyses of the Massachusetts Youth Screening Instrument: Identifying **race** and **gender** differential item functioning among juvenile offenders. *Educational and Psychological Measurement, 66*(3), 502-521.
- Cruise, K.R., Dandreaux, D.M., Marsee, M.A., DePrato, D.K. (2008). Identification of critical items on the Massachusetts Youth Screening Instrument-2 (MAYSI-2) in incarcerated youth. *The International Journal of Forensic Mental Health, 7*(2), 121-132.
- Cruise, K.R., Evans, L.J., & Pickens, I.B. (2011). Integrating mental health and special education needs into comprehensive service planning for juvenile offenders in long-term custody settings. *Learning and Individual Differences, 21*, 30-40.
- Cruise, K.R., Marsee, M., Dandreaux, D., & DePrato, D. (2007). Mental health screening of **female** juvenile offenders: Replication of a subtyping strategy. *Journal of Child and Family Studies, 16*(5), 615-625.
- Dalton, R.F., Evans, L.J., Cruise, K.R., Feinstein, R.A., Kendrick, R.F. (2009). **Race** difference in mental health service access in a secure male juvenile justice facility. *Journal of Offender Rehabilitation, 48*(3), 194-209.
- Daurio, R. (2010). Factors associated with court decisions to provide juvenile offenders with mental health placements. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 70*(8-B), 5156.
- DeLisi, M., Caudill, J.W., Trulson, C.R., Marquart, J.W., Vaughn, M.G., & Beaver, K.M. (2011). Angry inmates are violent inmates: A poisson regression approach to youthful offenders. *Journal of Forensic Psychology Practice, 10*(5), 419-439.
- DeLisi, M., Drury, A.J., Kosloski, A.E., Caudill, J.W., Conis, P.J., Anderson, C.A., Vaughn, M.G., & Beaver, K.M. (2010). The cycle of violence behind bars: Traumatization and institutional misconduct among juvenile delinquents in confinement. *Youth Violence and Juvenile Justice, 8*(2), 107-121.
- Douglas, K. S., Herbozo, S., Poythress, N. G., Edens, J. F., & Belfrage, H. (2006). Psychopathy and suicide: a multisample investigation. *Psychological Services, 3*(2), 97-116.
- Edens, J.F., Marcus, D.K., & Vaughn, M.G. (2010). Exploring the taxometric status of psychopathy among youthful offenders: Is there a juvenile psychopath taxon? *Law and Human Behavior, 35*, 13-24.
- Espelage, D. L., Cauffman, E., Broidy, L., Piquero, A. R., Mazerolle, P., & Steiner, H. (2003). A cluster-analytic investigation of MMPI profiles of serious male and female juvenile offenders. *Journal of the American Academy of Child and Adolescent Psychiatry, 42*(7), 770-777.
- Fisher, M.J. (2002). *Confirmatory item factor analysis of the Massachusetts Youth Screening Instrument-2 on a sample of conduct disordered males*. Unpublished doctoral dissertation, American International College, Australia.

- Ford, J., Chapman, J., Pearson, G., Borum, R., & Wolpaw, J. (2008). Psychometric status and clinical utility of the MAYSI-2 with girls and boys in juvenile detention. *Journal of Psychopathology and Behavioral Assessment, 30*(2), 87-99.
- Garland, E.L., & Howard, M.O. (2010). Inhalation of computer duster spray among adolescents: An emerging public health threat? *The American Journal of Drug and Alcohol Abuse, 36*, 320-324.
- Garland, E.L., & Howard, M.O. (2010). Phenomenology of adolescent inhalant intoxication. *Experimental and Clinical Psychopharmacology, 18*(6), 498-509.
- Garland, E.L., & Howard, M.O. (2011). Adverse consequences of acute inhalant intoxication. *Experimental & Clinical Psychopharmacology, 19*(2), 134-144.
- Goldstein, N. E., Arnold, D. A., Weil, J., Mesiarik, C. M., Peuschold, D., & Grisso, T., et al. (2003). Comorbid symptom patterns in **female** juvenile offenders. *International Journal of Law and Psychiatry, 26*, 565-582.
- Gretton, H.M., & Clift, R.J.W. (2011). The mental health needs of incarcerated youth in British Columbia, Canada. *International Journal of Law and Psychiatry, 34*, 109-115.
- Grisso, T., Barnum, R., Fletcher, K. E., Cauffman, E., & Peuschold, D. (2001). Massachusetts Youth Screening Instrument for mental health needs of juvenile justice youths. *Journal of the American Academy of Child and Adolescent Psychiatry, 40*(5), 541-548.
- Harshbarger, J.L. (2007). The impact of mental health dimensions on the prediction of juvenile reentry recidivism. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 67*(10-B), 6057.
- Hayes, M. A., McReynolds, L. S., & Wasserman, G. A. (2005). Paper and voice MAYSI-2: Format comparability and concordance with the voice DISC-IV. *Assessment, 12*(4), 395-403.
- Hickle, K.E., & Roe-Sepowitz, D.E. (2010). Female juvenile arsonists: An exploratory look at characteristics and solo and group arson offences. *Legal and Criminological Psychology, 15*, 385-399.
- Johnson, D. (2006). The latent structure of adolescent problematic substance use: Taxometric analysis of the MAYSI-2 alcohol and drug use scale. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 67*, (1-B), 547.
- Kalmbach, K. (2006). Mental health and psychosocial characteristics of juvenile offenders: Relationship to dispositional outcomes. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 66*, (9-B), 5092.
- Kerig, P.K., Ward, R.M., Vanderzee, K.L., & Moeddel, M.A. (2009). Posttraumatic stress as a mediator of the relationship between trauma and mental health problems among juvenile delinquents. *Journal of Youth and Adolescence, 38*, 1214-1225.
- Logan, L. (2006). A Cross-time analysis of the mental health needs of juvenile offenders.

*Dissertation Abstracts International: Section B: The Sciences and Engineering, 68(5-B), 3402.*

- Lopez-Williams, A., Vander Stoep, A., Kuo, A., & Stewart, D. (2006). Predictors of mental health service enrollment among juvenile offenders. *Youth Violence and Juvenile Justice, 4*, 266-280.
- Mallett, C.A., & Stoddard-Dare, P. (2010). Predicting secure detention placement for African-American juvenile offenders: Addressing the disproportionate minority confinement problem. *Journal of Ethnicity in Criminal Justice, 8(2)*, 91-103.
- Maney, S. M. (2007). *Gender, offense type, and caution scores on MAYSI-2 scales: Implications for MAYSI-2 users in the juvenile justice system.* Unpublished thesis, Suffolk University, Boston.
- Marczyk, G. R. (2003). Predicting juvenile recidivism and validating juvenile risk factors in an urban environment. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 63(8-B)*.
- Marczyk, G. R., Heilbrun, K., Lander, T., & DeMatteo, D. (2003). Predicting juvenile recidivism with the PCL:YV, MAYSI, and YLS/CMI. *International Journal of Forensic Mental Health, 2(1)*, 7-18.
- Marczyk, G., Heilbrun, K., Lander, T., & DeMatteo, D. (2005). Juvenile decertification: Developing a model for classification and prediction. *Criminal Justice and Behavior, 32*, 278-301.
- Mcconihay, J. (2008). Accuracy of detained juveniles self report of substance use on the Massachusetts Youth Screening Instrument-Version 2. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 68(12-B)*, 8444.
- McCoy, H. (2009). Exploring MAYSI-2 differences: **African-American and Caucasian** male juvenile offenders. *Dissertation Abstracts International Section A: Humanities and Social Sciences, 69(10-A)*, 4127.
- McCoy, H. (2010). Using cognitive interviewing to explore causes for racial differences on the MAYSI-2. *Crime & Delinquency*, November. (published online before print).
- McCoy, H. (2011). A path analysis of factors influencing racial differences on the MAYSI-2. *Journal of Offender Rehabilitation, 50(3)*, 119-141.
- Murrie, D.C., Henderson, C.E., Vincent, G.M., Rockett, J.L., Mundt, C. (2009). Psychiatric symptoms among juveniles incarcerated in adult prison. *Psychiatric Services, 60(8)*, 1092-1097.
- Newbauer, J.F., & Stone, M.H. (2010). Social interest and self-reported distress in a delinquent sample: Application of the SSSI and the MAYSI-2. *The Journal of Individual Psychology, 66(2)*, 201-215.
- Nordness, P. D., Grummert, M., Banks, D., Schindler, M., Moss, M. M., Gallagher, K., et al. (2002). Screening the mental health needs of youths in juvenile detention. *Juvenile and Family Court Journal, 53(2)*, 43-50.

- Osterlind, S. J., Koller, J. R., & Morris, E. F. (2007). Incidence and practical issues of mental health for school-aged youth in juvenile justice detention. *Journal of Correctional Health Care*, 13(4), 268-277.
- Padilla, R. (2006). Juvenile offenders' affective responses to a traumatic experience: A psychometric study using the Massachusetts Youth Screening Instrument Version 2. *Dissertation Abstracts International: Section B: The Sciences and Engineering* 67(6-B).
- Plattner, B., The, S.L., Kraemer, H.C., Williams, R.P., Bauer, S.M., Kindler, J., Feucht, M., Friedrich, M.H., & Steiner, H. (2007). Suicidality, psychopathology, and **gender** in incarcerated adolescents in Austria. *Journal of Clinical Psychiatry*, 68(10), 1593-1600.
- Roe-Sepowitz, D. (2007). Adolescent **female** murderers: Characteristics and treatment implications. *American Journal of Orthopsychiatry*, 77(3), 489-496.
- Smith, S.T., Edens, J.F., & Vaughn, M.G. (2011). Assessing the external correlates of alternative factor models of the psychopathic personality inventory- short form across three samples. *Journal of Personality Assessment*, 93(3), 244-256.
- Stathis, S., Letters, P., Doolan, I., Fleming, R., Heath, K., Arnett, A., & Cory, S. (2008). Use of the Massachusetts Youth Screening Instrument to assess mental health problems in young people in an Australian youth detention centre. *Journal of Paediatrics & Child Health*, 44(7/8), 438-443.
- Steele, K. (2000). Dual-symptomed juvenile offenders: A study of mental health and substance abuse symptoms within Washington state juvenile rehabilitation administration. *Dissertation Abstracts International Section A: Humanities and Social Sciences*, 61 (6-A), 2199.
- Stewart, D. G., & Trupin, E. W. (2003). Clinical utility and policy implication of a statewide mental health screening process for juvenile offenders. *Psychiatric Services*, 54(3), 377-382.
- Stinson, P. (2006). Determining the prevalence of mental health needs in the juvenile delinquency system at intake: A MAYSI-2 comparison of non-detained and detained youth. *Dissertation Abstracts International*: 708.
- Tille, J. (2005). An analysis of an independent study on emotional and behavioral problems for 13-to-18 year old incarcerated **female** first-time offenders and recidivists. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66, (2-B), 1225.
- Tille, J. E., & Rose, J. C. (2007). Emotional and behavioral problems of 13-to-18-year-old incarcerated **female** first-time offenders and recidivists. *Youth Violence and Juvenile Justice*, 5, 426-435.
- Trupin, E.W., Stewart, D.G., Beach, B. (2002). Effectiveness of a dialectical behavior therapy program for incarcerated **female** juvenile offenders. *Child & Adolescent Mental Health*, 7(3), 121-127.
- Vance, D. (2006). The relationship between scores on the Massachusetts Youth Screening

Instrument and serious incidents committed by juveniles detained in the Dallas County Juvenile Detention Center (Texas). *Dissertation Abstracts International Section A: Humanities and Social Sciences*, 66(10-A), 3578.

Vaughn, M. G., Freedenthal, S., Jenson, J. M., & Howard, M. O., (2007). Psychiatric symptoms and substance use among juvenile offenders: a latent profile investigation. *Criminal Justice and Behavior*, 34(10), 1296-1312.

Vaughn, M., Howard, M., & Chang-Harper, L. (2006). Do prior trauma and victimization predict weapon carrying among delinquent youth? *Youth Violence and Juvenile Justice*, 4, 314-327.

Veenstra, J. (2009). *Predicting juvenile recidivism in boys from a Dutch juvenile detention center on the basis of mental health problems measured by the MAYSI-2*. Master's Thesis, Vrij University Medical Center, The Netherlands.

Vincent, G., Grisso, T., Terry, A., & Banks, S. (2008). **Sex and race** differences in mental health symptoms in juvenile justice: The MAYSI-2 National meta-analysis. *Journal of the American Academy of Child & Adolescent Psychiatry*, 47(3), 282-290.

Wasserman, G. A., McReynolds, L. S., Ko, S. J., Katz, L. M., Cauffman, E., Haxton, W., et al. (2004). Screening for emergent risk and service needs among incarcerated youth: Comparing the MAYSI-2 and Voice DISC-IV. *Journal of the American Academy of Child and Adolescent Psychiatry*, 43(5), 629-639.

Wasserman GA, Vilhauer JS, McReynolds LS, Shoai R, John R (2005). Mental Health Screening in the Juvenile justice System: A comparison between the Voice-DISC-IV and the MAYSI-2. *Journal for Juvenile Justice and Detention Services* 19 (1).

### **C. Non-Peer-Reviewed Publications on MAYSI-2:**

#### **(1) State Government Project Reports**

#### **(2) Public Media Documents**

#### **(1) State Government Project Reports**

##### **California**

Haapanen, R., & Ingram, W. (2000, August). *California youth authority mental health and substance abuse treatment needs assessment: Description and preliminary findings*. Sacramento, CA: State of California, California Youth Authority, Research Division.

##### **Florida**

Florida Department of Juvenile Justice. (2001, September). *Tested, reliable MAYSI-2 used at intake*. Tallahassee, FL: Florida Department of Juvenile Justice: Office of the General Counsel.

### **Missouri**

Missouri Department of Mental Health. (2002). *The MO MAYSI project: An examination of the mental health needs of youth in the juvenile justice system using the Massachusetts Youth Screening Instrument-2nd Edition*. St. Louis, MO: State of Missouri, Department of Mental Health, Division of comprehensive Psychiatric Services.

Missouri Alliance For Youth: A Partnership Between DMH and Juvenile Justice. (2003, Winter). The MO MAYSI project: DYS report. *Missouri Department of Mental Health: Juvenile Justice*, pp. 1-2, 4.

Osterlind, S. J., Svoboda, S. K., & Koller, J. (2002). *MAYSI-2: Report of findings of juvenile justice evaluation program*. Technical Report. St. Louis, MO: Missouri Division of Social Service, Department of Mental Health.

### **Oregon**

Research and Training Center on Family Support and Children's Mental Health. (2002). *Mental health screening instruments for use in juvenile justice*. Portland, OR: Portland State University, Research and Training Center on Family Support and Children's Mental Health.

Research and Training Center on Family Support and Children's Mental Health. (2003). *Mental health screening instruments for use in juvenile justice*. Retrieved February 10, 2003, from <http://www.rtc.pdx.edu/DataTrends/pgDT55.shtml>

Williams, V., & T. Grisso (2008). Impact of mental Health Screening with the Massachusetts Youth Screening Instrument (MAYSI-2) in Juvenile Detention. *Research and Training Center for Children's Mental Health*, 357 - 360.

### **Pennsylvania**

Bender, E. (2003). *Professional news: Mental health advocates hope outreach benefits youth on probation*: The State of Pennsylvania, Department of Public Welfare.

Cauffman, E., Shulman, E., & Dickman, J. (2009). *Mental health needs in Pennsylvania's secure juvenile detention population: A statewide study implementing the automated Massachusetts Youth Screening Instrument, Version 2*. Philadelphia, PA: Juvenile Detention Centers Association of Pennsylvania.

Civic Research Institute Inc. (2003, September/October). Youth in Pennsylvania justice system found to have significant mental problems. *Juvenile Correctional Mental Health Report*. Kingston, NJ: Civic Research Institute, Inc.

Griffin, P. (2000, December). Assessing detained youth in Pennsylvania. *Pennsylvania progress: Juvenile justice achievements in Pennsylvania*. Pittsburgh, PA: National Center For Juvenile Justice: National Council of Juvenile and Family Court Judges.

Grisso, T. & Williams, V. (2006, July). *What do We Know About the Mental Health Needs of Pennsylvania's Youth in Juvenile Detention? Findings and Recommendations from the Mental Health Assessment of Youth in Detention Project*. Juvenile Detention Centers Association of Pennsylvania, Harrisburg, PA.

Williams, V., Grisso, T., Valentine, M., & Remsburg, N. (2008). Mental health screening: Pennsylvania's experience in juvenile detention. *Corrections Today*, 70(1), 24-27.

### **Texas**

Schwank, J., Espinosa, E., & Tolbert, V. (2003, February). *Mental health and juvenile justice in Texas*. Austin, TX: The State of Texas, Texas Juvenile Probation Commission.

Texas Juvenile Probation Commission. (2001, June). *MAYSI-2 chosen as required mental health screening instrument*. Austin, TX: Texas Juvenile Probation Commission.

### **Virginia**

Kotler, J. D. (2001, Summer). Mental health and juvenile justice: Seeking common ground. *Networks*. Alexandria, VA: National Technical Assistance Center for State Mental Health Planning.

Reppucci, N. D., & Redding, R. E. (2000). *Screening instruments for mental illness in juvenile offenders: The MAYSI and the BSI, juvenile justice fact sheet*. Charlottesville, VA: University of Virginia, Institute of Law, Psychiatry, and Public Policy.

### **Others**

Grisso, T., Barnum, R., & Lexcen, F. (2001, July/August). Promoting mental health screening in juvenile corrections: The MAYSI-2, *Juvenile Correctional Mental Health Report*. Kingston, NJ: Civic Research Institute, Inc.

## **(2) Public Media Documents**

Business Publishers, I. (2003, November). A 10 minute test screens youth for signs of mental illness. *Child protection report*. Silver Spring, MD: Business Publishers, Inc.

Clinician's Research Digest. (2007, June). MAYSI-2 predicts maladjustment among severe juvenile offenders. *Volume 25(6)*, 6.

Franck, M. (2003, November 3). Test reveals mental woes of delinquents: Early screening may cut costs of treatment later. *St. Louis Post-Dispatch*, pp. B1,B2.

Sedlak, A.J., & McPherson, K.S. (2010, April). Youth's needs and services: Findings from the Survey of Youth in Residential Placement. *OJJDP Juvenile Justice Bulletin*, NCJ 227728.

Twedt, S. (2001, August 19). State and local groups reach out to troubled juveniles. *Pittsburgh Post Gazette*, p. E5.

Twedt, S. (2002, October 6). Confined teens' troubles run deep: State finds over 50% suffer mental illness. *Pittsburgh Post-Gazette*, p. B1.

#### **D. General Mental Health Screening Articles With Commentary on MAYSI-2**

American Academy of Child & Adolescent Psychiatry. (2005). Practice Parameter for the Assessment and Treatment of Youth in Juvenile Detention and Correctional Facilities. *Journal of the American Academy of Child & Adolescent Psychiatry*, 44(10), 1085-1098.

Desai, R., Goulet, J., Robbins, Chapman, J., Migdole, S., & Hoge, M. (2006). Mental health care in juvenile detention facilities: A review. *The Journal of the American Academy of Psychiatry & the Law*, 34, 204-214.

Grisso, T. (1999). Juvenile offenders and mental illness. *Psychiatry, Psychology, and Law*, 6(2), 143-151.

Grisso, T. (2007). Progress and perils in the juvenile justice and mental health movement. *Journal of the American Academy of Psychiatry and the Law*, 35(2), 158-167.

Grisso, T., Davis, M., & Vincent, G. M. (March, 2004). Mental Health and juvenile justice systems: Responding to the needs of youth with mental health conditions and delinquency. Center for mental health services research issue brief.  
<http://www.umassmed.edu/uploadedfiles/Brief3JJsystem.pdf>

Grisso, T., & Underwood, L. (2002, December). *Screening and assessing mental health and substance use disorders among youth in the juvenile justice system*. Delmar, NY: National Center for Mental Health and Juvenile Justice, Policy Research Associates.

National Center for Mental Health and Juvenile Justice. (2007). *Mental health screening within juvenile justice: The next frontier*. Delmar, NY: National Center for Mental Health and Juvenile Justice.

Rosado, L. (2002). Serving the mental needs of youth in the juvenile justice system. Retrieved February 10, 2003, from [http://www.jlc.org/home/updates/updates\\_links/JJmhYouth.html](http://www.jlc.org/home/updates/updates_links/JJmhYouth.html)

Vincent, G. M., & Grisso, T. (Dec, 2004). Developing mental health screening in juvenile justice. Center for mental health services research issue brief.  
<http://www.umassmed.edu/uploadedfiles/Brief10Screening.pdf>

Wasserman, G. A., Jensen, P. S., Ko, S. J., Coccozza, J., Trupin, E., Angold, A., et al. (2003). Mental health assessments in juvenile justice: Report on the consensus conference. *Journal of the American Academy of Child and Adolescent Psychiatry*, 42(7), 751-761.

Williams, V., & Grisso, T. (Oct, 2006). Lessons Learned: Facilitating mental health screening in juvenile justice programs. Center for mental health services research issue brief.  
<http://www.umassmed.edu/uploadedfiles/Brief26MHscreening.pdf>